

## DECLARATION OF PERFORMANCE NR DoP-CPR-KRUMBER ANTICON CONTROL 100/1

1. Unique identification Code of the product type:
  - Breathable roofing membrane  
**KRUMBER ANTICON CONTROL 100**
2. Intended use or uses:
  - The product is designed for use as vapour control layer in walls, floors or roofs, in the building envelope, including for use in drywall construction.
3. Producent:
  - KRUMBER GROUP Marcin Tomaszewski, ul. Kościuszki 17,  
95-054 Ksawerów, Polska  
tel. +48 604 731 529  
e-mail: [krumber@krumber.com](mailto:krumber@krumber.com)
4. Systems of assessment and verification of constancy of performance:
  - System 3 for the regulation of water vapor transmission
  - System 4 for reaction to fire
5. Harmonized standard:
  - EN 13984:2013
  - Notified Body no. 1434 – Polskie Centrum Badań i Certyfikacji S.A.

6. Declared performance:

Essential characteristics		Functional properties	Unit	Harmonized Standard
Watertightness at 2 kPa		Pass	-	EN 13984:2013
Resistance to impact		NPD	-	
Durability	against ageing	Pass	-	
	against alkali			
Resistance to tearing (nail shank)		≥70	N	
Joint strength		NPD	N/50mm	
Reaction to fire		Class F	-	
Water vapour resistance		2,83*10 <sup>10</sup> ± 20%	m <sup>2</sup> s Pa/kg	
Tensile strength in longitudinal direction		≥130	N/50mm	
Tensile strength in transverse direction		≥80	N/50mm	
Elongation in longitudinal direction		≥50	%	
Elongation in transverse direction		≥70	%	
Dangerous substances		NPD	-	

- The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

  
**KRUMBER GROUP**  
 MARCIN TOMASZEWSKI  
 ul. Kościuszki 17, 95-054 Ksawerów  
 NIP 731-171-88-61, REGON 472319977

Ksawerów, dated 10.02.2020

dr Marcin Tomaszewski, Owner