
Karmat Chamber Covers

- Highest Quality
  All Karmat covers are produced with an A15 rating from the highest quality polimers resistant to high and low temperatures.

- Substantially increased resistance to pressure confirmed in tests by an independent laboratory



- The used UV stabilizer greatly increases the resistance of the cover against atmospheric factors and preserves their intensive color





- Their varied shape allows for easy selection according to its application. The square shaped covers can be easily encased by cobble stones or the installation near the edge of a pavement.

- All screws and bolts used in the Karmat covers are made of corrosion resistant chromium-nickel




- A special anti-skid pattern was designed on the surface of the cover - the pattern is copyrighted in the Pattent Office.



Standard covers

Strenghtened construction of the cover permits for a fivefold resistance to pressure






P315

Standard cover

For solid wall pipe ø 315

increased resistance to **7,5 tons**






P355

Standard cover

For corrugated pipe ø 315 (outside 355 mm)

increased resistance to **7,5 tons**





P400

Standard cover

For solid wall pipe ø 400 or corrugated pipe ø 400

increased resistance to **7,5 tons**


INCREASED RESISTANCE - CONTAINS UV STABILIZERS

Watertight covers

Karmat Watertight covers solve the frequent and inconvenient problem of bad odours eminating from the sewer.

They have the ability to move in telescopic fashion to compensate for the movement of the soil during winter months.






PS315

Watertight covers

Full lid for solid wall pipe ø 315

increased resistance to **3 tons**






PS355

Watertight covers

Full lid for corrugated pipe ø 315 (external diameter 355 mm)

increased resistance to **3 tons**





PS400

Watertight covers

Full lid for solid wall pipe ø 400

increased resistance to **3 tons**


INCREASED RESISTANCE - CONTAINS UV STABILIZERS

Watertight covers are resistant to pressures up to **0.5 bar**

Socket covers with stormwater lid

Socket covers with stormwater lid have the possibility to move in telescopic fashion with the ground during winter months.






PS315D

Socket covers with stormwater lid
Slotted lid
For solid wall pipe ø 315

increased resistance to **3 tons**






PS355D

Socket covers with stormwater lid
Slotted lid
For corrugated pipe ø 315 (external diameter riser pipe ø 355 mm)

increased resistance to **3 tons**





PS400D

Socket covers with stormwater lid
Slotted lid
For solid wall pipe ø 400

increased resistance to **3 tons**

INCREASED RESISTANCE - CONTAIN UV STABILIZERS